

SINTEF Product Certificate

No. 3672

Issued: 14.12.2020

Corrected: 18.06.2021

Valid until: 01.01.2026

Provided listed on

www.sintefcertification.no

SINTEF confirms that

JRG Sanipex MT pipe system with PE-RT/Al/PE-RT pipes

complies with the requirements in

- › EN ISO 21003-2 og EN ISO 21003-5
- › DVGW W 534 (*) og DVGW W 542 (*)
- › DVGW W 270 (*) og KTW Guideline (*)



Certificate holder

Georg Fischer JRG AG
Hauptstrasse 130
4450 Sissach, Switzerland

Manufacturer

Georg Fischer JRG AG, Hauptstrasse 130, 4450 Sissach, Switzerland

The product is also produced at factory 1156 in Switzerland and 1157 in Germany, as specified in the evaluation report dated 14.12.2020.

Factory production control

The manufacturing of the product is subject to factory production control in accordance with the provisions in EN ISO/IEC 17065.

Product description

JRG Sanipex MT pipe system with PE-RT/Al/PE-RT pipes.

Pipes and fittings are delivered in the following dimensions:

16 x 2.2 mm, 20 x 2.5 mm, 26 x 3.0 mm, 32 x 3.0 mm, 40 x 3.5 mm, 50 x 4.0 mm and 63 x 4.5 mm

Performance requirements in TEK

Working pressure

The product meets the performance requirements at normal working pressure.

Effect on drinking water

The product does not release substances which reduce drinking water quality or cause danger to health.

The product has been tested for releases to drinking water according to KTW Guideline.

Other requirements

Marking

The product may be marked with the SINTEF certification mark as shown above. The mark may also be used on packaging and marketing materials concerning the certified product.



Anne-Jorunn Enstad
Certification Manager

