

# SINTEF Product Certificate

## No. 4049

Issued: 28.01.2026  
Valid until: 01.02.2031  
Provided listed on  
[www.sintefcertification.no](http://www.sintefcertification.no)

SINTEF confirms that

### Halcor TALOS copper tubes

complies with the requirements in

› EN 1057:2006+A1:2010



#### Certificate holder

Elvalhalcor S.A.  
62nd km National Road Athens-Lamia  
32011 Inofyta Viotia, Greece

#### Manufacturer

Elvalhalcor S.A. (Copper and alloys extrusion division)  
62nd km National Road Athens-Lamia  
32011 Inofyta Viotia, Greece

#### Factory production control

The manufacturing of the product is subject to factory production control in accordance with the provisions in EN ISO/IEC 17065.

#### Product description

Halcor TALOS copper tubes, type R250 (half hard copper tubes) and R290 (hard copper tubes).

The following dimensions are included for type R250:

12 x 1.0 mm, 15 x 1.0 mm, 18 x 1.0 mm, 22 x 1.0 mm,  
28 x 1.0 mm, 35 x 1.5 mm, 42 x 1.5 mm, 54 x 1.5 mm

The following dimensions are included for type R290:

10 x 0.8 mm, 12 x 1.0 mm, 15 x 1.0 mm, 18 x 1.0 mm,  
22 x 1.0 mm, 28 x 1.0 mm, 35 x 1.5 mm, 42 x 1.5 mm,  
54 x 1.5 mm, 64 x 2.0 mm, 76.1 x 2.0 mm, 88.9 x 2.0 mm,  
108 x 2.5 mm

#### Performance requirements in TEK

##### *Working pressure*

The product meets the performance requirements at normal working pressure.  
The product has been tested for 16 bar water pressure.

##### *Effect on drinking water*

The product does not submit substances which reduce drinking water quality or cause danger to health.

#### Other requirements

##### *Marking*

The product may be marked with the SINTEF certification mark as shown above. The mark may also be used on packaging and marketing materials concerning the certified product.



Anne-Jorunn Enstad  
Certification Manager

