

SINTEF Product Certificate

No. 3098

Issued: 23.02.2015

Renewed: 02.04.2020

Valid until: 01.10.2024

Provided listed on

www.sintefcertification.no

SINTEF confirms that

ISO-FLAME Kombi F 120

has a reaction to fire performance equal to class E, according to

EN 13501-1:2007+A1:2009

Certificate holder

ISO-Chemie GmbH
Röntgenstr. 12
73431 Aalen
GERMANY

Manufacturer

ISO-Chemie GmbH
Röntgenstr. 12
73431 Aalen
GERMANY

Factory production control

The manufacturing of the product is subject to factory production control in accordance with the provisions in EN ISO/IEC 17065.

Product description

ISO-FLAME KOMBI F 120 is a PUR sealing tape, equipped with a special flame-retardant impregnation.

The product is intended to be used as joint packing/tightening in fire rated constructions, e.g. in joints between door/window frames, and the wall construction.

Performance requirements in TEK

The reaction to fire performance – class E - according to EN 13501-1 is valid for the product parameters and end use applications as given in the technical documentation.

For other purposes the intended use of the product shall be demonstrated by relevant fire resistance tests, followed by a fire rating according to EN 13501-2.

Other requirements

Marking

The following information shall be given on the product packaging or in an accompanying document:

- The name and registered address of the certificate holder, or an identification mark (e.g. brand image) allowing identification of the name and address of the holder of the certificate.
- Product name, type designation and traceable product identification, such as serial or order number.
- The product's reaction to fire performance.
- SINTEF's certificate mark as shown above.



Steinar K. Nilsen, Certification Manager