



# Certificate of constancy of performance

## 1071– CPR – 3071

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Huntonit Brannit

Huntonit Brannit has a reaction to fire classification B-s1,d0 (Euroclass) according to EN 13501-1:2018. The construction product is a wood fibre board (MDF). The nominal thickness and density are respectively 11 mm and 835 kg/m<sup>3</sup>. The board is coated with white fire-retardant paint. The construction product satisfies general requirements applying to intended use in dry conditions; technical class MBH according to EN 622-1:2003, Table 1 and 2, and EN 622-3:2004, Table 2.

The given reaction to fire classification applies to the following end use conditions:

- Mounting on a substrate of Euroclasses A1 or A2-s1,d0 with thickness  $\geq 12$  mm and density  $\geq 525$  kg/m<sup>3</sup>
- Mechanically fixing with horizontal or vertical joints in accordance with manufacturers installation instruction
- The product can be installed with or without an air gap behind. The air gap may be ventilated or not.

placed on the market under the name or trademark of

### Byggma ASA

Postboks 21, 4701 Vennesla, Norway

and produced in the manufacturing plant(s)

### Huntonit AS

Venneslavegen 233, 4700 Vennesla, Norway

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard.

### EN 13986:2004+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

### constancy of performance of the construction product.

This certificate was first issued on 01.12.2014 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body, and latest until 01.06.2025.

The certificate is valid provided it is listed on [www.sintefcertification.no](http://www.sintefcertification.no).

Oslo, 28.02.2025

Anne-Jorunn Enstad  
Certification Manager