



Notified body no. 1071 SINTEF P.O.Box 124 Blindern – NO-0314 Oslo

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

1071- CPR - 1790

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

EN AW-1050A O, H14, H18, H41, H42, H44, H45, H46, H47, H48 EN AW-1200 O, H14, H18, H24, H41, H42, H45, H46, H48 EN AW-3003 O, H24, H28, H41, H42, H44 EN AW-3005 O, H12, H14, H18, H24, H26, H28, H41, H42, H43, H44, H45, H46, H47, H48 EN AW-3105 O, H12, H14, H16, H18, H24, H26, H28, H42, H44, H46, H48

Structural products for construction works - Aluminium and aluminium alloys according to EN 573-3 and with mechanical properties according to EN 485-2 and EN 1396. (*R_m*, *RP*_{0,2}, *A*₅₀)

produced by Hydro Aluminium Rolled Products AS Weidemannsgate 8, 3080 Holmestrand

and produced in the manufacturing plant Hydro Aluminium Rolled Products AS Weidemannsgate 8 and Kirkeveien 1, 3080 Holmestrand

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 15088:2005

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on 26.06.2012 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on 01.06.2024, provided the certificate is listed on www.sintefcertification.no.

Oslo, 15.05.2019

Nodland Monita S.

Monica Strøm Nodland Certification Manager

SINTEF Certification www.sintefcertification.no e-mail: certification@sintef.no

MAL CPR2+se versjon 14.01.2019

SINTEF AS www.sintef.no Bus. Ent. no. NO 919 303 808 MVA