

SINTEF Product Certificate

No. 3171

Issued: 18.08.2015

Corrected: 18.06.2021

Valid until: 01.08.2025

Provided listed on

www.sintefcertification.no

SINTEF confirms that

Ostendorf PVC-U KG wastewater pipes and fittings

complies with the requirements in

- › EN 1401-1
- › EN 13476 (*)



Certificate holder

Gebr. Ostendorf Kunststoffe GmbH
Rudolf-Diesel-Str. 6-8
DE-49377 Vechta, Germany

Manufacturer

Gebr. Ostendorf Kunststoffe GmbH
Wilhelm-Bunsen-Str. 6
DE-49685 Emstek, Germany

Factory production control

The manufacturing of the product is subject to factory production control in accordance with the provisions in EN ISO/IEC 17065.

Product description

Ostendorf wastewater pipes and fittings made of PVC-U KG for embedment.

The pipes and fittings are delivered in the following dimensions: DN 110, DN 125, DN 160 and DN 200

Range of application: D

Performance requirements in TEK

Load

Wastewater installations shall withstand both inner and outer loads and chemical influences.

Impact tests and temperature cycling tests are performed on the product.

Watertightness

Wastewater installations shall have sufficient tightness against leakages. The pipes and fittings are tested for a hydrostatic pressure of 0,5 bar.

Other requirements

Marking

The product may be marked with the SINTEF certification mark as shown above. The mark may also be used on packaging and marketing materials concerning the certified product.



Anne-Jorunn Enstad
Certification Manager

